

CATEGORY	MODEL	FEATURES/CHARACTERISTICS	PRICE*
Accessory for Edge			
	LN007	Adapter board for Wi-Fi module	216 kn
	PD01	PoE kit (Power Distribution)	640 kn
	PSE01	PoE kit	574 kn
for XPC all-in-one			
	PCL71	COM/LPT expansion	207 kn
	PCP11	COM expansion	85 kn
	PCP21	2× COM expansion	169 kn
	PNFC01	NFC kit	207 kn
	POR01	Serial port adapter cable (RJ45)	188 kn
	POS01	COM/LPT/DIO expansion	301 kn
for XPC cube			
	H-RS232	COM expansion	75 kn
	PC45G	250 W power supply 80 PLUS	706 kn
	PC55	450 W power supply	292 kn
	PC61J	300 W power supply 80 PLUS	706 kn
	PC63J	500 W power supply 80 PLUS	1.016 kn
	PHD3	2.5 inch drive holder	85 kn
for XPC cube, XPC slim and Edge			
	WLN-M	Wireless LAN (Wi-Fi ac) & Bluetooth Kit	292 kn
	WLN-M1	Intel Wireless LAN (Wi-Fi ax) & Bluetooth Kit	414 kn
for XPC slim			
	CXP01	Cable for external power button	85 kn
	DIR01	DIN rail mount kit	235 kn
	MY01	ODD drive cover	38 kn
	PCM31	3× COM expansion (XH310 only)	179 kn
	PE180	180 W external power adapter	809 kn
	PHD2 (PHD2N)	2nd HDD/SSD accessory	75 kn
	PHD4	3.5 inch drive holder	94 kn
	PRC01	PCIe riser card w/ power input	508 kn
	PRM01	19" rack mount kit	565 kn
	PS01	Vertical stand	169 kn
	PS02	Vertical stand	169 kn
	PV02	VESA-mount 75/100 mm	169 kn
	PV04	VESA-mount 75/100 mm	169 kn
	PVG01	VGA expansion	94 kn
	WWN03	M.2 adapter, antennas and cables for M.2 LTE modules	424 kn
for XPC slim and Edge			
	PE90	90 W external power adapter	376 kn
	WWN01	M.2 adapter, antennas and cables for M.2 LTE modules	424 kn
Box PC			
Fully configured PC			
	BPCWLO2-i3XA	Core i3-8145UE, 4 GB DDR4, 128 GB M.2 SSD, 3× RS-232	8.075 kn
	BPCWLO2-i5WA	Core i5-8365UE, 8 GB DDR4, 250 GB M.2 SSD, 3× RS-232, Windows 11 Pro (64 bit)	11.548 kn
Edge			
Fully configured PC			
	EN01J3	Celeron J3355, 4 GB LPDDR4, 64 GB eMMC	3.548 kn
	EN01J4	Pentium J4205, 8 GB LPDDR4, 64 GB eMMC	4.395 kn
Panel PC			
Fully configured PC			
	P21WL01-i3XA	Core i3-8145UE, 4 GB, 128 GB M.2 SSD	14.456 kn
	P21WL01-i5WA	Core i5-8365UE, 8 GB, 250 GB M.2 SSD, Windows IoT Enterprise LTSC 2019	17.910 kn
Smart Signage			
Display			
	D230 (Client)	Signage Display w/ camera, 23.1", Android, 4G ready, Server is mandatory	4.866 kn
	D230 (Standalone)	Signage Display w/ camera, 23.1", Android	4.866 kn
Server			
	D230SRV	Core i5-8265U, 16 GB, 128 GB M.2 SSD, Linux	7.896 kn
XPC all-in-one			
Barebone			
	P22U	Celeron 5205U , max. 64 GB DDR4, CR, HDMI, VGA, 11.6" Multitouch, fanless	3.840 kn

CATEGORY	MODEL	FEATURES/CHARACTERISTICS	PRICE*
	P51U	Celeron 4205U, max. 32 GB DDR4, CR, HDMI, VGA, 15.6" Multitouch, Wi-Fi, BT, fanless	4.574 kn
	P51U3	Core i3-7100U, max. 32 GB DDR4, CR, HDMI, VGA, 15.6" Multitouch, Wi-Fi, BT, fanless	7.096 kn
	P90U (White)	Celeron 3865U, max. 32 GB DDR4, CR, HDMI, VGA, 19.5" Multitouch, Wi-Fi, BT, fanless	5.383 kn
	P90U3 (Black)	Core i3-7100U, max. 32 GB DDR4, CR, HDMI, VGA, 19.5" Multitouch, Wi-Fi, BT, fanless	7.200 kn
	P90U3 (White)	Core i3-7100U, max. 32 GB DDR4, CR, HDMI, VGA, 19.5" Multitouch, Wi-Fi, BT, fanless	7.388 kn
	P90U5 (Black)	Core i5-7200U, max. 32 GB DDR4, CR, HDMI, VGA, 19.5" Multitouch, Wi-Fi, BT, fanless	7.962 kn
	P92U (Black)	Celeron 5205U, max. 64 GB DDR4, CR, HDMI, VGA, 19.5" Multitouch, Wi-Fi, BT, fanless	5.844 kn
	P92U (White)	Celeron 5205U, max. 64 GB DDR4, CR, HDMI, VGA, 19.5" Multitouch, Wi-Fi, BT, fanless	6.004 kn
	P92U3 (Black)	Core i3-10110U, max. 64 GB DDR4, CR, HDMI, VGA, 19.5" Multitouch, Wi-Fi, BT, fanless	7.595 kn
	P92U3 (White)	Core i3-10110U, max. 64 GB DDR4, CR, HDMI, VGA, 19.5" Multitouch, Wi-Fi, BT, fanless	7.746 kn
	P92U5 (Black)	Core i5-10210U, max. 64 GB DDR4, CR, HDMI, VGA, 19.5" Multitouch, Wi-Fi, BT, fanless	8.781 kn
	X50V7 (Black)	Celeron 4205U, max. 64 GB DDR4, CR, HDMI, VGA, 15.6" Touch, Wi-Fi, fanless	4.009 kn
	X50V7 (White)	Celeron 4205U, max. 64 GB DDR4, CR, HDMI, VGA, 15.6" Touch, Wi-Fi, fanless	4.009 kn
	X50V7U3 (Black)	Core i3-8145U, max. 64 GB DDR4, CR, HDMI, VGA, 15.6" Touch, Wi-Fi, fanless	6.070 kn
	X50V7U3 (White)	Core i3-8145U, max. 64 GB DDR4, CR, HDMI, VGA, 15.6" Touch, Wi-Fi, fanless	6.070 kn
	X50V8 (Black)	Celeron 5205U, max. 64 GB DDR4, CR, HDMI, VGA, 15.6" Touch, Wi-Fi, fanless	4.301 kn
	X50V8 (White)	Celeron 5205U, max. 64 GB DDR4, CR, HDMI, VGA, 15.6" Touch, Wi-Fi, fanless	4.301 kn
	X50V8U3 (Black)	Core i3-10110U, max. 64 GB DDR4, CR, HDMI, VGA, 15.6" Touch, Wi-Fi, fanless	6.334 kn
	X50V8U3 (White)	Core i3-10110U, max. 64 GB DDR4, CR, HDMI, VGA, 15.6" Touch, Wi-Fi, fanless	6.334 kn
Fully configured PC			
	P5100PA	Celeron 4205U, 4 GB, 120 GB M.2 SSD, RS-232, Windows IoT Enterprise LTSC 2019	5.816 kn
	P9200PA	Celeron 5205U, 8 GB DDR4, 250 GB M.2 SSD, Windows IoT Enterprise LTSC 2019	7.237 kn
	P9200XA	Celeron 5205U, 8 GB DDR4, 128 GB M.2 SSD	6.851 kn
	POS P510	Celeron 4205U, 4 GB, 120 GB M.2 SSD, RS-232	5.139 kn
	POS P920	Celeron 5205U, 4 GB DDR4, 128 GB M.2 SSD, RS-232, LPT	6.541 kn
	POS X507 (Black)	Celeron 4205U, 4 GB, 120 GB SSD, RS-232, LPT	4.762 kn
	POS X507 (White)	Celeron 4205U, 4 GB, 120 GB SSD, RS-232, LPT	4.762 kn
	X5070PA (Black)	Celeron 4205U, 4 GB, 120 GB M.2 SSD, Windows IoT Enterprise LTSC 2019	5.261 kn
	X5070TA (Black)	Celeron 4205U, 4 GB, 120 GB M.2 SSD, Windows 10 Pro (64 bit)	5.054 kn
	X5070XA (Black)	Celeron 4205U, 4 GB, 500 GB	4.743 kn
	X5070XA (White)	Celeron 4205U, 4 GB, 500 GB	4.743 kn
	X5073TA (Black)	Core i3-8145U, 8 GB, 120 GB M.2 SSD, Windows 10 Pro (64 bit)	8.357 kn
	X5073XA (Black)	Core i3-8145U, 8 GB, 120 GB SSD	6.767 kn
XPC cube			
Barebone			
	SH310R4V2	LGA1151v2, H310, max. 64 GB DDR4, HDMI 2.0, DP, VGA, Aluminium, 300 W	2.456 kn
	SH370R6V2 Plus	LGA1151v2, H370, max. 64 GB DDR4, HDMI 2.0, 2x DP, USB 3.2, Alumin., 500 W	3.435 kn
	SH510R4	LGA1200, H510, max. 64 GB DDR4, HDMI 2.0, DP, VGA, Aluminium, 300 W	3.153 kn
	SH570R6	LGA1200, H570, max. 128 GB DDR4, HDMI 2.0, 2x DP, USB 3.2, Aluminium, 300 W	3.520 kn
	SH570R6 Plus	LGA1200, H570, max. 128 GB DDR4, HDMI 2.0, 2x DP, USB 3.2, Aluminium, 500 W	4.019 kn
	SH570R8	LGA1200, H570, max. 128 GB DDR4, HDMI 2.0, 2x DP, USB 3.2, Aluminium, 4x HDD, 500 W	4.132 kn
	SZ270R8	LGA1151, Z270, max. 64 GB DDR4, HDMI, 2x DP, 2x LAN, Aluminium, 4x HDD, 500 W	1.383 kn
XPC nano			
Barebone			
	NC10U	Celeron 4205U, max. 32 GB DDR4, CR, HDMI 2.0, DP, Wi-Fi, RS-232, Plastic	1.929 kn
	NC10U3	Core i3-8145U, max. 32 GB DDR4, CR, HDMI 2.0, DP, Wi-Fi, RS-232, Plastic	3.746 kn
	NC10U5	Core i5-8265U, max. 32 GB DDR4, CR, HDMI 2.0, DP, Wi-Fi, RS-232, Plastic	4.706 kn
	NC10U7	Core i7-8565U, max. 32 GB DDR4, CR, HDMI 2.0, DP, Wi-Fi, RS-232, Plastic	5.957 kn
	NS02AV2	ARM, 2 GB DDR3, 16 GB Flash, CR, HDMI 2.0, Wi-Fi, BT, PoE, Android 8.1	1.440 kn
	NS02EV2	ARM, 2 GB DDR3, 16 GB Flash, CR, HDMI 2.0, Wi-Fi, BT, PoE, Android 8.1	1.694 kn
Fully configured PC			
	NC1010BA	Celeron 4205U, 4 GB, 64 GB M.2 SSD, Windows 10 Pro (64 bit)	3.068 kn
	NC1010XA	Celeron 4205U, 4 GB, 128 GB M.2 SSD	2.616 kn
XPC slim			
Barebone			
	DA320	AM4 (AMD), A320, max. 32 GB DDR4, CR, HDMI 2.0, 2x DP, 2x LAN, RS-232, Steel	2.108 kn
	DH02U	Celeron 3865U, max. 32 GB DDR4, GTX 1050, 4x HDMI 2.0, Steel	2.786 kn
	DH32U	Pentium Gold 7505, max. 64 GB DDR4, 4x HDMI 2.0, Steel	3.398 kn
	DH32U5	Core i5-1135G7, max. 64 GB DDR4, 4x HDMI 2.0, Steel	5.967 kn
	DH410	LGA1200, H410, max. 64 GB DDR4, CR, HDMI 2.0, DP, 2x LAN, RS-232, Steel	2.494 kn
	DH410S	LGA1200, H410, max. 64 GB DDR4, CR, HDMI, DP, LAN, USB-C, Steel	2.287 kn
	DH470C	LGA1200, H470, max. 64 GB DDR4, HDMI 2.0, 2x DP, 2x LAN, RS-232, USB 3.2, Steel	2.710 kn
	DL20N	Celeron N4505, max. 16 GB DDR4, CR, HDMI 2.0, DP, VGA, RS-232, fanless	2.296 kn
	DL20N6	Pentium Silver N6005, max. 16 GB DDR4, CR, HDMI 2.0, DP, VGA, RS-232, fanless	2.729 kn
	DS10U	Celeron 4205U, max. 32 GB DDR4, CR, HDMI 2.0, DP, VGA, 2x LAN, Wi-Fi, BT, RS-232, Steel, fan	2.588 kn
	DS10U3	Core i3-8145U, max. 32 GB DDR4, CR, HDMI 2.0, DP, VGA, 2x LAN, Wi-Fi, BT, USB 3.2, RS-232, S	4.866 kn
	DS10U5	Core i5-8265U, max. 32 GB DDR4, CR, HDMI 2.0, DP, VGA, 2x LAN, Wi-Fi, BT, USB 3.2, RS-232, S	5.892 kn

CATEGORY	MODEL	FEATURES/CHARACTERISTICS	PRICE*
	DS10U7	Core i7-8565U, max. 32 GB DDR4, CR, HDMI 2.0, DP, VGA, 2× LAN, Wi-Fi, BT, USB 3.2, RS-232, S	7.200 kn
	DS20U	Celeron 5205U, max. 64 GB DDR4, CR, HDMI 2.0, DP, VGA, 2× LAN, Wi-Fi, BT, USB 3.2, RS-232,	2.786 kn
	DS20U3	Core i3-10110U, max. 64 GB DDR4, CR, HDMI 2.0, DP, VGA, 2× LAN, Wi-Fi, BT, USB 3.2, RS-232,	4.988 kn
	DS20U5	Core i5-10210U, max. 64 GB DDR4, CR, HDMI 2.0, DP, VGA, 2× LAN, Wi-Fi, BT, USB 3.2, RS-232,	6.089 kn
	DS20U7	Core i7-10510U, max. 64 GB DDR4, CR, HDMI 2.0, DP, VGA, 2× LAN, Wi-Fi, BT, USB 3.2, RS-232,	7.322 kn
	XH310R	LGA1151v2, H310, max. 32 GB DDR4, HDMI 2.0, DP, VGA, 2× LAN, RS-232, Steel	2.353 kn
	XH310RV	LGA1151v2, H310, max. 32 GB DDR4, HDMI 2.0, DP, VGA, 2× LAN, RS-232, Steel	2.353 kn
	XH410G	LGA1200, H410, max. 64 GB DDR4, HDMI 2.0, VGA, LAN, PCIe-x16, Steel	2.588 kn
	XH510G2	LGA1200, H510, max. 64 GB DDR4, HDMI 2.0, DP, LAN, 1× PCIe-x16, 1× PCIe-x1, Steel	
Fully configured PC			
	DA3200XA	Ryzen 5 3400G, 8 GB DDR4, 250 GB SSD	5.477 kn
	DA320P	Ryzen 5 3400G, 8 GB DDR4, 250 GB SSD, Windows IoT Enterprise LTSC 2019	6.569 kn
	DL2000XA	Celeron N4505, 4 GB DDR4, 128 GB M.2 SSD	2.974 kn
	Office DL2000EP	Celeron N4504, 4 GB, 128 GB M.2 SSD, Windows 11 Pro (64 bit)	3.435 kn
	POS DS100	Celeron 4205U, 4 GB DDR4, 120 GB SSD	3.350 kn
	POS DS200	Celeron 5205U, 4 GB DDR4, 128 GB M.2 SSD	3.445 kn

Shuttle Computer Handels GmbH
Fritz-Strassmann-Str. 5
25337 Elmshorn, Germany

Phone: +49 (0) 4121 476-860 / Fax: -900
www.shuttle.eu, sales@shuttle.eu

© 2022 Shuttle Computer Handels GmbH (Germany) - All information provided by Shuttle is subject to change without notice. All brand names and trademarks are property of their registered owner.

*Manufacturer's suggested retail price incl. VAT
Prices based on the Croatian VAT and exchange rate in force in 5/2022