

CATEGORY	MODEL	FEATURES/CHARACTERISTICS	PRICE*
<b>Accessory for Box PC</b>			
	AX200	Intel AX200NGW Wi-Fi 6 & Bluetooth 5.0 M.2 module (802.11ax, dual-band)	
	CED01	31-pin eDP to 21-pin DB display cable for BPCWL/BPCAL series	
	CRS01	Single RS-232 COM daughterboard (COM#4) for BPCWL/BPCAL series	
	CSD01	Dual RS-232/422/485 COM daughterboard (COM#2/3) for BPCWL/BPCAL series	
	CWL01	Wi-Fi antenna kit for BPCWL/BPCAL (2× I-PEX4-to-SMA cables 290/310 mm, 2× antennas, adh)	
	DDP01	DisplayPort daughterboard for BPCWL/BPCAL series	
	DDV01	DVI-I daughterboard for BPCWL/BPCAL series	
	DHD01	HDMI 1.4 daughterboard for BPCWL/BPCAL series	
	DHD12	HDMI 2.0 daughterboard for BPCAL02 series	
	DIO01	Ignition DIO daughterboard for BPCWL/BPCAL (incl. terminal block & screws, no cables)	
	DIO11	Digital I/O daughterboard for BPCWL/BPCAL (incl. terminal block & screws, no cables)	
	DVG01	VGA daughterboard for BPCWL/BPCAL series	
	LAN22	Dual-LAN daughterboard for BPCAL02 (2× Intel i226 2.5G, requires SATA-based M.2 SSD)	
	LAN44	Quad-LAN daughterboard for BPCAL02	
	LTE01	LTE/4G daughterboard for BPCWL/BPCAL (incl. 2× external LTE antennas & cables)	
	MDR01	DIN-rail clip for BPCWL/BPCAL series (incl. 2× M4 screws)	
	MDR02	DIN-rail mounting kit for SPCELO2/O3/12 (clip & adapter bracket, incl. screws)	
	MRS01	Ear-mount bracket set for BPCWL/BPCAL series (2× brackets & 4× M3×6 screws)	
	PA1501	<b>150 W external PSU for BPCWL/BPCAL (100–240 V, 19 V/7.89 A, -20...+60 °C, 3-pin plug, incl.</b>	
	PDC01	DC-IN terminal block connector for BPCAL02 series	
	PDC11	3-pin DC-IN terminal block connector & power button board for external power buttons	
	PWR01	External power-button module for BPCWL/BPCAL box PCs	
	USB01	Quad-USB 2.0 daughterboard (4× ports) for BPCWL/BPCAL series	
	VOL01	<b>Wide-range voltage module (9–36 V) for BPCWL/BPCAL and P15WL/AL/P21WL/AL</b>	
<b>for XPC</b>			
	CXP01	2 m cable for external power-on button	11 €
	DIR01	DIN-rail mounting kit for 1L Shuttle XPC slim series (adapter plate with clip & screws)	31 €
	FSP300	<b>300 W FSP power supply (115–230 V, 80 PLUS)</b>	98 €
	FSP500	<b>500 W FSP power supply (115–230 V, 80 PLUS)</b>	139 €
	H-RS232	Internal 9-pin RS-232 cable (32 cm, no slot bracket)	10 €
	MY01	ODD bay mylar cover for Shuttle 3L XPC slim series (optical drive door cover)	5 €
	PC45G	250 W power supply (80 PLUS)	93 €
	PC55	<b>450 W power supply (115–230 V) for XPC cube P &amp; P2 series</b>	38 €
	PC850	850 W power supply (80 PLUS Platinum, active PFC)	253 €
	PCM31	Triple-COM add-on module for XH310/XH310R/XH610	24 €
	PCP11	RS-232 COM port cable (1× 9-pin serial, 24 cm internal, 2 mm pitch)	11 €
	PE120	120 W power supply (19 V/6.32 A, incl. 3-pin power cord)	62 €
	PE180	180 W power supply (19 V/9.23 A, incl. 3-pin power cord)	107 €
	PE65	65 W power supply (19 V/3.42 A, incl. power cord)	35 €
	PE90	90 W medical-grade power supply (EN60601-1, 19 V/4.7 A, 5.5×2.5 mm plug)	50 €
	PHD3	3.5"-to-2.5" HDD rack (holds up to 2× 2.5" drives in a 3.5" bay)	11 €
	PHD4	3.5" HDD mounting frame for XH-series	12 €
	POR01	RJ45-to-D-Sub adapter cable for POS01 (RS-232 COM adapter)	25 €
	POV21	VESA stand for AIO and Panel PC (POS-compatible stand)	107 €
	PRCO2	PCIe riser for XH610G2 & XH810G2 (PCIe Gen5, GPU power support, enables second PSU)	67 €
	PRM01	2U rackmount kit for XPC slim (holds two XPC slim units, incl. front mounting plate)	79 €
	PS01	Vertical stand for 3L XPC slim series	22 €
	PS02	Vertical aluminium stand for DS/DH/DL/NC series	22 €
	PV02	VESA mounting kit for XH-series (3L PCs)	22 €
	PV04	VESA mounting kit for DH410S/DH310S/DH110SE (75/100 mm)	22 €
	PVG01	VGA adapter cable for DX/DS8/DH/XH series	12 €
	WLN-M3	Wi-Fi 6 (802.11ax) + Bluetooth module for SPCEL series	55 €
	WWN01	LTE adapter kit for DL10J/DX30V2 series	56 €
	WWN03	LTE adapter kit for DS10U/DH400 series	56 €
	WWN04	5G adapter kit for DS50U/X50V9 series	73 €
<b>for XPC &amp; Box PC</b>			
	WLN-M1	Wi-Fi 6 (802.11ax) + Bluetooth module for Shuttle products with M.2-2230 slot	55 €
<b>Box PC</b>			
<b>Barebone</b>			
	BPCAL02-i3	Intel Core i3-1215U, max. 64 GB DDR5, M.2-2280, up to 4× UHD displays (HDMI/DP), 2× 2.5G L	707 €

CATEGORY	MODEL	FEATURES/CHARACTERISTICS	PRICE*
	BPCAL02-i5	Intel Core i5-1235U, max. 64 GB DDR5, M.2-2280, up to 4x UHD displays (HDMI/DP), 2x 2.5G L	784 €
	BPCAL02-i7	Intel Core i7-1255U, max. 64 GB DDR5, M.2-2280, up to 4x UHD displays (HDMI/DP), 2x 2.5G L	900 €
Fully configured PC			
	BPCAL02-i3XA	Intel Core i3-1215U, 8 GB DDR5, 128 GB M.2 NVMe SSD, HDMI + DP + VGA, 2x 2.5G LAN, no OS,	
	BPCAL02-i5WA	Intel Core i5-1235U, 8 GB DDR5, 128 GB M.2 NVMe SSD, HDMI + DP + VGA, 2x 2.5G LAN, Windo	
edge			
Barebone			
	SPCELO2	Intel Celeron J6412, max. 32 GB DDR4, M.2-2280 (SATA), HDMI 2.0b, 2x 2.5G LAN, 2x USB 3.2	376 €
	SPCELO2P	Intel Celeron J6412, max. 32 GB DDR4, M.2-2280 (SATA), HDMI 2.0b, 2x 2.5G LAN, 2x USB 3.2	422 €
	SPCELO3	Intel Atom x6413E, max. 32 GB DDR4, M.2-2280 (SATA), 2x HDMI 2.0b + DP 1.4, 1G + 2.5G LAN,	427 €
	SPCEL12	Intel Celeron J6412, max. 32 GB DDR4, M.2-2280, HDMI 2.0b + DP 1.4, 1G + 2.5G LAN, USB 3.2	408 €
Fully configured PC			
	SPCELO2WA	Intel Celeron J6412, 8 GB DDR4, 120 GB M.2 SSD, HDMI, 2x 2.5G LAN, Windows 11 IoT Enterpris	
	SPCELO2XA	Intel Celeron J6412, 8 GB DDR4, 120 GB M.2 SSD, HDMI, 2x 2.5G LAN, no OS, blue	
Panel PC			
Barebone			
	M15AL01-i5 (Whit	Intel Core i5-1245U, max. 64 GB DDR5, M.2-2280, HDMI 2.0b + VGA, 2x 2.5G LAN, USB 3.2 Gen	1.260 €
	M21AL01-i5 (Whit	Intel Core i5-1245U, max. 64 GB DDR5, 2.5" bay, M.2-2280, HDMI 2.0b + VGA, 1G + 2x 2.5G LAN	1.841 €
	P15AL01-i5 (Blue)	Intel Core i5-1245U, max. 64 GB DDR5, M.2-2280, HDMI 2.0b + VGA, 2x 2.5G LAN, USB 3.2 Gen	1.172 €
	P15WL01-i5 (Blue)	Intel Core i5-1235U, max. 64 GB DDR5, 2.5" bay, M.2-2280, HDMI 2.0b + VGA, 2x 2.5G LAN, US	1.194 €
	P21AL01-i3 (Blue)	Intel Core i3-1215U, max. 64 GB DDR5, 2.5" bay, M.2-2280, HDMI 2.0b + VGA, 1G + 2x 2.5G LAN	1.293 €
	P21AL01-i5 (Blue)	Intel Core i5-1245U, max. 64 GB DDR5, 2.5" bay, M.2-2280, HDMI 2.0b + VGA, 1G + 2x 2.5G LAN	1.368 €
XPC all-in-one			
Barebone			
	P25N	Intel N100, max. 16 GB DDR5, 2.5" bay, M.2-2280, HDMI 2.0b + VGA, 2.5G LAN, 11.6" touchscre	486 €
	P55U	Intel Celeron 7305, max. 64 GB DDR5, M.2-2280, HDMI 2.0b + VGA, 1G LAN, 15.6" touchscreen	647 €
	P55U3	Intel Core i3-1315U, max. 96 GB DDR5, M.2-2280, HDMI 2.0b + VGA, 1G LAN, 15.6" touchscreen	802 €
	P92U (White)	Intel Celeron 5205U, max. 64 GB DDR4, 2.5" bay, M.2-2280, HDMI 1.4b + VGA, 1G LAN, 19.5" to	828 €
	X50V9 (Black)	Intel Celeron 7305, max. 64 GB DDR5, M.2-2280, HDMI 2.0b + VGA, 1G LAN, 15.6" touchscreen	512 €
	X50V9 (White)	Intel Celeron 7305, max. 64 GB DDR5, M.2-2280, HDMI 2.0b + VGA, 1G LAN, 15.6" touchscreen	512 €
	X50V9U3 (Black)	Intel Core i3-1315U, max. 96 GB DDR5, M.2-2280, HDMI 2.0b + VGA, 2.5G LAN, 15.6" touchscre	795 €
Fully configured PC			
	IoT P2500PA	Intel N100, 8 GB DDR5, 120 GB M.2 SSD, HDMI + VGA, 2.5G LAN, speakers, Full HD webcam, Win	
	IoT P5500PA	Intel Celeron 7305U, 8 GB DDR5, 128 GB M.2 NVMe SSD, HDMI + VGA, LAN + WLAN, speakers, F	
	POS P250	Intel N100, 8 GB DDR5, 120 GB M.2 SSD, HDMI 2.0b + VGA, 2.5G LAN, speakers, Full HD webca	
	POS P550	Intel Celeron 7305U, 8 GB DDR5, 128 GB M.2 NVMe SSD, HDMI 2.0b + VGA, LAN + WLAN, 15.6" t	
	POS X509 (Black)	Intel Celeron 7305U, 8 GB DDR5, 128 GB M.2 NVMe SSD, HDMI 2.0b + VGA, LAN + WLAN, speak	
	POS X509 (White)	Intel Celeron 7305U, 8 GB DDR5, 128 GB M.2 NVMe SSD, HDMI 2.0b + VGA, LAN + WLAN, speak	
	X5090PA (Black)	Intel Celeron 7305U, 8 GB DDR5, 128 GB M.2 NVMe SSD, HDMI + VGA, LAN + WLAN, speakers, w	
XPC cube			
Barebone			
	SB860R8	LGA1851, max. 192 GB DDR5, 4x 3.5"/2.5" bays, 2x M.2-2280, PCIe 5.0 x16 + PCIe 4.0 x4, 2x 2	
XPC nano			
Barebone			
	NA10H7	AMD Ryzen 7 8845HS, max. 64 GB DDR5, M.2-2280, 2x HDMI 2.0b + 2x USB-C (DP), 2x 2.5G L	601 €
	NC40U	Intel Celeron 7305, max. 64 GB DDR4, 2.5" bay, 2x M.2-2280, HDMI 2.0b + DP 1.4a + USB-C, 1G	243 €
	NC40U5	Intel Core i5-1235U, max. 64 GB DDR4, 2.5" bay, 2x M.2-2280, HDMI 2.0b + DP 1.4a + USB-C, 1	414 €
	NC40U7	Intel Core i7-1255U, max. 64 GB DDR4, 2.5" bay, 2x M.2-2280, HDMI 2.0b + DP 1.4a + USB-C, 1	534 €
	NE10N	Intel N100, max. 16 GB DDR4, M.2-2280, HDMI 2.0b + DP 1.4a, 1G LAN	213 €
	NT10H5	Intel Core Ultra 5-125H, max. 96 GB DDR5, M.2-2280, 2x HDMI 2.0b + 2x USB-C (DP), 2x 2.5G	728 €
Fully configured PC			
	NC4010BAV2	Intel Celeron 7305U, 8 GB DDR4, 128 GB M.2 SSD, HDMI + DP + USB-C, LAN + WLAN (ax), SD rea	
	NC4010XAV2	Intel Core i3-1315U, 8 GB DDR5, 128 GB M.2 NVMe SSD, HDMI + DP + USB-C, LAN + WLAN (ax), S	
	NE1010BA	Intel N100, 8 GB DDR4, 128 GB M.2 SSD, HDMI + DP, LAN + WLAN (ax), Windows 11 Pro Entry, bl	
	NE1010XA	Intel N100, 8 GB DDR4, 250 GB M.2 NVMe SSD, HDMI + DP, LAN + WLAN (ax), no OS, black	
Solution			
	NS02EV2	Fanless, 2 GB RAM, 16 GB eMMC, 1G LAN, PoE, Wi-Fi 5 (ac), card reader, HDMI, Android 8.1	109 €
XPC slim			
Barebone			
	DB860	LGA1851, max. 96 GB DDR5, 1x 2.5" bay, M.2-2280, HDMI 2.1 + HDMI 2.0 + DP 1.4 + USB-C (DP),	
	DH32U	Intel Pentium 7505, max. 64 GB DDR4, 2.5" bay, M.2-2280, 4x HDMI 2.0b, 2x 1G LAN, 2x COM	367 €
	DH610	LGA1700, max. 64 GB DDR4, 2.5" bay, M.2-2280, HDMI 2.0b + 2x DP 1.4, 1G + 2.5G LAN, 2x CO	350 €
	DH770	LGA1700, max. 64 GB DDR5, 2.5" bay, M.2-2280, 2x HDMI 2.0b + 2x DP 1.4, 1G + 2.5G LAN, 2x	399 €
	DH810	LGA1851, max. 96 GB DDR5, 1x 2.5" bay, M.2-2280, HDMI 2.1 + DP 1.4 + USB-C (DP), 1G + 2.5G L	382 €
	DL30N	Intel N100, max. 16 GB DDR5, 2.5" bay, M.2-2280, HDMI 2.0b + DP 1.4a + VGA, 2x 2.5G LAN, 2x	277 €
	DL40N	Intel N150, max. 16 GB DDR5, 2.5" bay, M.2-2280, HDMI 2.0b + DP 1.4a + VGA, 2x 2.5G LAN, 2x	286 €
	DN11H5	Intel Core Ultra 5-125H, max. 96 GB DDR5, 3x M.2-2280 (RAID 0/1/5), 2x HDMI 2.1 + 2x DP 1.4,	887 €

CATEGORY	MODEL	FEATURES/CHARACTERISTICS	PRICE*
	DN11H7	Intel Core Ultra 7-155H, max. 96 GB DDR5, 3× M.2-2280 (RAID 0/1/5), 2× HDMI 2.1 + 2× DP 1.4,	1.061 €
	DN11H9	Intel Core Ultra 9-185H, max. 96 GB DDR5, 3× M.2-2280 (RAID 0/1/5), 2× HDMI 2.1 + 2× DP 1.4,	1.157 €
	DS50U	Intel Celeron 7305, max. 64 GB DDR5, 2.5" bay, 2× M.2-2280, HDMI 2.0b + DP 1.4 + VGA, 1G + 2	335 €
	DS50U3	Intel Core i3-1315U, max. 96 GB DDR5, 2.5" bay, 2× M.2-2280, HDMI 2.0b + DP 1.4 + VGA, 1G +	593 €
	DS50U5	Intel Core i5-1335U, max. 96 GB DDR5, 2.5" bay, 2× M.2-2280, HDMI 2.0b + DP 1.4 + VGA, 1G +	827 €
	DS50U7	Intel Core i7-1355U, max. 96 GB DDR5, 2.5" bay, 2× M.2-2280, HDMI 2.0b + DP 1.4 + VGA, 1G +	947 €
	XB860G2	LGA1851, max. 96 GB DDR5, PCIe 5.0 x16 + PCIe 3.0 x1, 3× M.2-2280, M.2-2230, HDMI 2.1 + HD	
	XH510G	LGA1700, max. 64 GB DDR4, 1× PCIe x16 slot, 1× 2.5" bay, 2× M.2-2280, 1G LAN, steel housing	157 €
	XH610	LGA1700, max. 96 GB DDR5, 1× 2.5" bay, M.2-2280 + M.2-2230, 1G + 2.5G LAN, 2× COM, steel	373 €
	XH610G2	LGA1700, max. 96 GB DDR5, PCIe 5.0 x16 + PCIe 3.0 x1, 2× M.2-2280, M.2-2230, 1G + 2.5G LA	399 €
	XH810	LGA1851, max. 96 GB DDR5, 1× 2.5" bay, 2× M.2-2280, M.2-2230, HDMI 2.1 + HDMI 2.0b + DP, 1	
<b>Fully configured PC</b>			
	DL3000EP	Intel N100, 8 GB DDR5, 128 GB M.2 NVMe SSD, HDMI + DP + VGA, 1G LAN, optional WLAN, SD re	
	DL3000XA	Intel N150, 8 GB DDR5, 128 GB M.2 NVMe SSD, HDMI + DP + VGA, 1G LAN, optional WLAN, SD re	
	POS DS500	Intel Celeron 7305U, 8 GB DDR5, 128 GB M.2 NVMe SSD, HDMI + DP + VGA, LAN + optional WLA	

Shuttle Computer Handelsgesellschaft mbH  
Fritz-Strassmann-Str. 5  
25337 Elmshorn, Germany

Phone: +49 (0) 4121 476-860 / Fax: -900  
www.shuttle.eu, sales@shuttle.eu

© 2026 Shuttle Computer Handelsgesellschaft mbH (Germany) - All information provided by Shuttle is subject to change without notice. All brand names and trademarks are property of their registered owner.

\*Manufacturer's suggested retail price incl. VAT  
Prices based on the Greek VAT and exchange rate in force in 2/2026