

CATEGORY	MODEL	FEATURES/CHARACTERISTICS	PRICE*
Accessory for Box PC			
	AX200	Intel AX200NGW Wi-Fi 6 & Bluetooth 5.0 M.2 module (802.11ax, dual-band)	
	CED01	31-pin eDP to 21-pin DB display cable for BPCWL/BPCAL series	
	CRS01	Single RS-232 COM daughterboard (COM#4) for BPCWL/BPCAL series	
	CSD01	Dual RS-232/422/485 COM daughterboard (COM#2/3) for BPCWL/BPCAL series	
	CWL01	Wi-Fi antenna kit for BPCWL/BPCAL (2× I-PEX4-to-SMA cables 290/310 mm, 2× antennas, adh)	
	DDP01	DisplayPort daughterboard for BPCWL/BPCAL series	
	DDV01	DVI-I daughterboard for BPCWL/BPCAL series	
	DHD01	HDMI 1.4 daughterboard for BPCWL/BPCAL series	
	DHD12	HDMI 2.0 daughterboard for BPCAL02 series	
	DIO01	Ignition DIO daughterboard for BPCWL/BPCAL (incl. terminal block & screws, no cables)	
	DIO11	Digital I/O daughterboard for BPCWL/BPCAL (incl. terminal block & screws, no cables)	
	DVG01	VGA daughterboard for BPCWL/BPCAL series	
	LAN22	Dual-LAN daughterboard for BPCAL02 (2× Intel i226 2.5G, requires SATA-based M.2 SSD)	
	LAN44	Quad-LAN daughterboard for BPCAL02	
	LTE01	LTE/4G daughterboard for BPCWL/BPCAL (incl. 2× external LTE antennas & cables)	
	MDR01	DIN-rail clip for BPCWL/BPCAL series (incl. 2× M4 screws)	
	MDR02	DIN-rail mounting kit for SPCELO2/O3/12 (clip & adapter bracket, incl. screws)	
	MRS01	Ear-mount bracket set for BPCWL/BPCAL series (2× brackets & 4× M3×6 screws)	
	PA1501	150 W external PSU for BPCWL/BPCAL (100–240 V, 19 V/7.89 A, -20...+60 °C, 3-pin plug, incl.	
	PDC01	DC-IN terminal block connector for BPCAL02 series	
	PDC11	3-pin DC-IN terminal block connector & power button board for external power buttons	
	PWR01	External power-button module for BPCWL/BPCAL box PCs	
	USB01	Quad-USB 2.0 daughterboard (4× ports) for BPCWL/BPCAL series	
	VOL01	Wide-range voltage module (9–36 V) for BPCWL/BPCAL and P15WL/AL/P21WL/AL	
for XPC			
	CXP01	2 m cable for external power-on button	10 CHF
	DIR01	DIN-rail mounting kit for 1L Shuttle XPC slim series (adapter plate with clip & screws)	27 CHF
	FSP300	300 W FSP power supply (115–230 V, 80 PLUS)	85 CHF
	FSP500	500 W FSP power supply (115–230 V, 80 PLUS)	121 CHF
	H-RS232	Internal 9-pin RS-232 cable (32 cm, no slot bracket)	9 CHF
	MY01	ODD bay mylar cover for Shuttle 3L XPC slim series (optical drive door cover)	4 CHF
	PC45G	250 W power supply (80 PLUS)	81 CHF
	PC55	450 W power supply (115–230 V) for XPC cube P & P2 series	33 CHF
	PC850	850 W power supply (80 PLUS Platinum, active PFC)	220 CHF
	PCM31	Triple-COM add-on module for XH310/XH310R/XH610	20 CHF
	PCP11	RS-232 COM port cable (1× 9-pin serial, 24 cm internal, 2 mm pitch)	10 CHF
	PE120	120 W power supply (19 V/6.32 A, incl. 3-pin power cord)	54 CHF
	PE180	180 W power supply (19 V/9.23 A, incl. 3-pin power cord)	93 CHF
	PE65	65 W power supply (19 V/3.42 A, incl. power cord)	30 CHF
	PE90	90 W medical-grade power supply (EN60601-1, 19 V/4.7 A, 5.5×2.5 mm plug)	43 CHF
	PHD3	3.5"-to-2.5" HDD rack (holds up to 2× 2.5" drives in a 3.5" bay)	10 CHF
	PHD4	3.5" HDD mounting frame for XH-series	11 CHF
	POR01	RJ45-to-D-Sub adapter cable for POS01 (RS-232 COM adapter)	22 CHF
	POV21	VESA stand for AIO and Panel PC (POS-compatible stand)	93 CHF
	PRCO2	PCIe riser for XH610G2 & XH810G2 (PCIe Gen5, GPU power support, enables second PSU)	58 CHF
	PRM01	2U rackmount kit for XPC slim (holds two XPC slim units, incl. front mounting plate)	69 CHF
	PS01	Vertical stand for 3L XPC slim series	19 CHF
	PS02	Vertical aluminium stand for DS/DH/DL/NC series	19 CHF
	PV02	VESA mounting kit for XH-series (3L PCs)	19 CHF
	PV04	VESA mounting kit for DH410S/DH310S/DH110SE (75/100 mm)	19 CHF
	PVG01	VGA adapter cable for DX/DS8/DH/XH series	11 CHF
	WLN-M3	Wi-Fi 6 (802.11ax) + Bluetooth module for SPCEL series	47 CHF
	WWN01	LTE adapter kit for DL10J/DX30V2 series	49 CHF
	WWN03	LTE adapter kit for DS10U/DH400 series	49 CHF
	WWN04	5G adapter kit for DS50U/X50V9 series	64 CHF
for XPC & Box PC			
	WLN-M1	Wi-Fi 6 (802.11ax) + Bluetooth module for Shuttle products with M.2-2230 slot	47 CHF
Box PC			
Barebone			
	BPCAL02-i3	Intel Core i3-1215U, max. 64 GB DDR5, M.2-2280, up to 4× UHD displays (HDMI/DP), 2× 2.5G L	615 CHF

CATEGORY	MODEL	FEATURES/CHARACTERISTICS	PRICE*
	BPCAL02-i5	Intel Core i5-1235U, max. 64 GB DDR5, M.2-2280, up to 4x UHD displays (HDMI/DP), 2x 2.5G L	682 CHF
	BPCAL02-i7	Intel Core i7-1255U, max. 64 GB DDR5, M.2-2280, up to 4x UHD displays (HDMI/DP), 2x 2.5G L	783 CHF
Fully configured PC			
	BPCAL02-i3XA	Intel Core i3-1215U, 8 GB DDR5, 128 GB M.2 NVMe SSD, HDMI + DP + VGA, 2x 2.5G LAN, no OS,	
	BPCAL02-i5WA	Intel Core i5-1235U, 8 GB DDR5, 128 GB M.2 NVMe SSD, HDMI + DP + VGA, 2x 2.5G LAN, Windo	
edge			
Barebone			
	SPCELO2	Intel Celeron J6412, max. 32 GB DDR4, M.2-2280 (SATA), HDMI 2.0b, 2x 2.5G LAN, 2x USB 3.2	327 CHF
	SPCELO2P	Intel Celeron J6412, max. 32 GB DDR4, M.2-2280 (SATA), HDMI 2.0b, 2x 2.5G LAN, 2x USB 3.2	367 CHF
	SPCELO3	Intel Atom x6413E, max. 32 GB DDR4, M.2-2280 (SATA), 2x HDMI 2.0b + DP 1.4, 1G + 2.5G LAN,	371 CHF
	SPCEL12	Intel Celeron J6412, max. 32 GB DDR4, M.2-2280, HDMI 2.0b + DP 1.4, 1G + 2.5G LAN, USB 3.2	355 CHF
Fully configured PC			
	SPCELO2WA	Intel Celeron J6412, 8 GB DDR4, 120 GB M.2 SSD, HDMI, 2x 2.5G LAN, Windows 11 IoT Enterpris	
	SPCELO2XA	Intel Celeron J6412, 8 GB DDR4, 120 GB M.2 SSD, HDMI, 2x 2.5G LAN, no OS, blue	
Panel PC			
Barebone			
	M15AL01-i5 (Whit	Intel Core i5-1245U, max. 64 GB DDR5, M.2-2280, HDMI 2.0b + VGA, 2x 2.5G LAN, USB 3.2 Gen	1096 CHF
	M21AL01-i5 (Whit	Intel Core i5-1245U, max. 64 GB DDR5, 2.5" bay, M.2-2280, HDMI 2.0b + VGA, 1G + 2x 2.5G LAN	1602 CHF
	P15AL01-i5 (Blue)	Intel Core i5-1245U, max. 64 GB DDR5, M.2-2280, HDMI 2.0b + VGA, 2x 2.5G LAN, USB 3.2 Gen	1019 CHF
	P15WL01-i5 (Blue)	Intel Core i5-1235U, max. 64 GB DDR5, 2.5" bay, M.2-2280, HDMI 2.0b + VGA, 2x 2.5G LAN, US	1039 CHF
	P21AL01-i3 (Blue)	Intel Core i3-1215U, max. 64 GB DDR5, 2.5" bay, M.2-2280, HDMI 2.0b + VGA, 1G + 2x 2.5G LAN	1125 CHF
	P21AL01-i5 (Blue)	Intel Core i5-1245U, max. 64 GB DDR5, 2.5" bay, M.2-2280, HDMI 2.0b + VGA, 1G + 2x 2.5G LAN	1190 CHF
XPC all-in-one			
Barebone			
	P25N	Intel N100, max. 16 GB DDR5, 2.5" bay, M.2-2280, HDMI 2.0b + VGA, 2.5G LAN, 11.6" touchscree	423 CHF
	P55U	Intel Celeron 7305, max. 64 GB DDR5, M.2-2280, HDMI 2.0b + VGA, 1G LAN, 15.6" touchscreen	563 CHF
	P55U3	Intel Core i3-1315U, max. 96 GB DDR5, M.2-2280, HDMI 2.0b + VGA, 1G LAN, 15.6" touchscreen	698 CHF
	P92U (White)	Intel Celeron 5205U, max. 64 GB DDR4, 2.5" bay, M.2-2280, HDMI 1.4b + VGA, 1G LAN, 19.5" to	721 CHF
	X50V9 (Black)	Intel Celeron 7305, max. 64 GB DDR5, M.2-2280, HDMI 2.0b + VGA, 1G LAN, 15.6" touchscreen	446 CHF
	X50V9 (White)	Intel Celeron 7305, max. 64 GB DDR5, M.2-2280, HDMI 2.0b + VGA, 1G LAN, 15.6" touchscreen	446 CHF
	X50V9U3 (Black)	Intel Core i3-1315U, max. 96 GB DDR5, M.2-2280, HDMI 2.0b + VGA, 2.5G LAN, 15.6" touchscree	692 CHF
Fully configured PC			
	IoT P2500PA	Intel N100, 8 GB DDR5, 120 GB M.2 SSD, HDMI + VGA, 2.5G LAN, speakers, Full HD webcam, Win	
	IoT P5500PA	Intel Celeron 7305U, 8 GB DDR5, 128 GB M.2 NVMe SSD, HDMI + VGA, LAN + WLAN, speakers, F	
	POS P250	Intel N100, 8 GB DDR5, 120 GB M.2 SSD, HDMI 2.0b + VGA, 2.5G LAN, speakers, Full HD webca	
	POS P550	Intel Celeron 7305U, 8 GB DDR5, 128 GB M.2 NVMe SSD, HDMI 2.0b + VGA, LAN + WLAN, 15.6" t	
	POS X509 (Black)	Intel Celeron 7305U, 8 GB DDR5, 128 GB M.2 NVMe SSD, HDMI 2.0b + VGA, LAN + WLAN, speak	
	POS X509 (White)	Intel Celeron 7305U, 8 GB DDR5, 128 GB M.2 NVMe SSD, HDMI 2.0b + VGA, LAN + WLAN, speak	
	X5090PA (Black)	Intel Celeron 7305U, 8 GB DDR5, 128 GB M.2 NVMe SSD, HDMI + VGA, LAN + WLAN, speakers, w	
XPC cube			
Barebone			
	SB860R8	LGA1851, max. 192 GB DDR5, 4x 3.5"/2.5" bays, 2x M.2-2280, PCIe 5.0 x16 + PCIe 4.0 x4, 2x 2	
XPC nano			
Barebone			
	NA10H7	AMD Ryzen 7 8845HS, max. 64 GB DDR5, M.2-2280, 2x HDMI 2.0b + 2x USB-C (DP), 2x 2.5G L	523 CHF
	NC40U	Intel Celeron 7305, max. 64 GB DDR4, 2.5" bay, 2x M.2-2280, HDMI 2.0b + DP 1.4a + USB-C, 1G	211 CHF
	NC40U5	Intel Core i5-1235U, max. 64 GB DDR4, 2.5" bay, 2x M.2-2280, HDMI 2.0b + DP 1.4a + USB-C, 1	360 CHF
	NC40U7	Intel Core i7-1255U, max. 64 GB DDR4, 2.5" bay, 2x M.2-2280, HDMI 2.0b + DP 1.4a + USB-C, 1	465 CHF
	NE10N	Intel N100, max. 16 GB DDR4, M.2-2280, HDMI 2.0b + DP 1.4a, 1G LAN	186 CHF
	NT10H5	Intel Core Ultra 5-125H, max. 96 GB DDR5, M.2-2280, 2x HDMI 2.0b + 2x USB-C (DP), 2x 2.5G	633 CHF
Fully configured PC			
	NC4010BAV2	Intel Celeron 7305U, 8 GB DDR4, 128 GB M.2 SSD, HDMI + DP + USB-C, LAN + WLAN (ax), SD rea	
	NC4010XAV2	Intel Core i3-1315U, 8 GB DDR5, 128 GB M.2 NVMe SSD, HDMI + DP + USB-C, LAN + WLAN (ax), S	
	NE1010BA	Intel N100, 8 GB DDR4, 128 GB M.2 SSD, HDMI + DP, LAN + WLAN (ax), Windows 11 Pro Entry, bl	
	NE1010XA	Intel N100, 8 GB DDR4, 250 GB M.2 NVMe SSD, HDMI + DP, LAN + WLAN (ax), no OS, black	
Solution			
	NS02EV2	Fanless, 2 GB RAM, 16 GB eMMC, 1G LAN, PoE, Wi-Fi 5 (ac), card reader, HDMI, Android 8.1	95 CHF
XPC slim			
Barebone			
	DB860	LGA1851, max. 96 GB DDR5, 1x 2.5" bay, M.2-2280, HDMI 2.1 + HDMI 2.0 + DP 1.4 + USB-C (DP),	
	DH32U	Intel Pentium 7505, max. 64 GB DDR4, 2.5" bay, M.2-2280, 4x HDMI 2.0b, 2x 1G LAN, 2x COM	319 CHF
	DH610	LGA1700, max. 64 GB DDR4, 2.5" bay, M.2-2280, HDMI 2.0b + 2x DP 1.4, 1G + 2.5G LAN, 2x CO	304 CHF
	DH770	LGA1700, max. 64 GB DDR5, 2.5" bay, M.2-2280, 2x HDMI 2.0b + 2x DP 1.4, 1G + 2.5G LAN, 2x	347 CHF
	DH810	LGA1851, max. 96 GB DDR5, 1x 2.5" bay, M.2-2280, HDMI 2.1 + DP 1.4 + USB-C (DP), 1G + 2.5G L	332 CHF
	DL30N	Intel N100, max. 16 GB DDR5, 2.5" bay, M.2-2280, HDMI 2.0b + DP 1.4a + VGA, 2x 2.5G LAN, 2x	241 CHF
	DL40N	Intel N150, max. 16 GB DDR5, 2.5" bay, M.2-2280, HDMI 2.0b + DP 1.4a + VGA, 2x 2.5G LAN, 2x	249 CHF
	DN11H5	Intel Core Ultra 5-125H, max. 96 GB DDR5, 3x M.2-2280 (RAID 0/1/5), 2x HDMI 2.1 + 2x DP 1.4,	771 CHF

CATEGORY	MODEL	FEATURES/CHARACTERISTICS	PRICE*
	DN11H7	Intel Core Ultra 7-155H, max. 96 GB DDR5, 3× M.2-2280 (RAID 0/1/5), 2× HDMI 2.1 + 2× DP 1.4,	923 CHF
	DN11H9	Intel Core Ultra 9-185H, max. 96 GB DDR5, 3× M.2-2280 (RAID 0/1/5), 2× HDMI 2.1 + 2× DP 1.4,	1007 CHF
	DS50U	Intel Celeron 7305, max. 64 GB DDR5, 2.5" bay, 2× M.2-2280, HDMI 2.0b + DP 1.4 + VGA, 1G + 2	291 CHF
	DS50U3	Intel Core i3-1315U, max. 96 GB DDR5, 2.5" bay, 2× M.2-2280, HDMI 2.0b + DP 1.4 + VGA, 1G +	516 CHF
	DS50U5	Intel Core i5-1335U, max. 96 GB DDR5, 2.5" bay, 2× M.2-2280, HDMI 2.0b + DP 1.4 + VGA, 1G +	720 CHF
	DS50U7	Intel Core i7-1355U, max. 96 GB DDR5, 2.5" bay, 2× M.2-2280, HDMI 2.0b + DP 1.4 + VGA, 1G +	824 CHF
	XB860G2	LGA1851, max. 96 GB DDR5, PCIe 5.0 x16 + PCIe 3.0 x1, 3× M.2-2280, M.2-2230, HDMI 2.1 + HD	
	XH510G	LGA1700, max. 64 GB DDR4, 1× PCIe x16 slot, 1× 2.5" bay, 2× M.2-2280, 1G LAN, steel housing	137 CHF
	XH610	LGA1700, max. 96 GB DDR5, 1× 2.5" bay, M.2-2280 + M.2-2230, 1G + 2.5G LAN, 2× COM, steel	325 CHF
	XH610G2	LGA1700, max. 96 GB DDR5, PCIe 5.0 x16 + PCIe 3.0 x1, 2× M.2-2280, M.2-2230, 1G + 2.5G LA	347 CHF
	XH810	LGA1851, max. 96 GB DDR5, 1× 2.5" bay, 2× M.2-2280, M.2-2230, HDMI 2.1 + HDMI 2.0b + DP, 1	
Fully configured PC			
	DL3000EP	Intel N100, 8 GB DDR5, 128 GB M.2 NVMe SSD, HDMI + DP + VGA, 1G LAN, optional WLAN, SD re	
	DL3000XA	Intel N150, 8 GB DDR5, 128 GB M.2 NVMe SSD, HDMI + DP + VGA, 1G LAN, optional WLAN, SD re	
	POS DS500	Intel Celeron 7305U, 8 GB DDR5, 128 GB M.2 NVMe SSD, HDMI + DP + VGA, LAN + optional WLA	

Shuttle Computer Handelsgesellschaft mbH
Fritz-Strassmann-Str. 5
25337 Elmshorn, Germany

Phone: +49 (0) 4121 476-860 / Fax: -900
www.shuttle.eu, sales@shuttle.eu

© 2026 Shuttle Computer Handelsgesellschaft mbH (Germany) - All information provided by Shuttle is subject to change without notice. All brand names and trademarks are property of their registered owner.

*Manufacturer's suggested retail price incl. VAT
Prices based on the Swiss VAT and exchange rate in force in 2/2026